

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	366	(712/208).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:23
S2	144	(712/211).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:23
S3	319	(712/233).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:24
S4	397	(712/234).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:24
S5	529	(712/244).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:24
S6	1	(compar\$ near4 branch\$3) with (array near4 (boundar\$3 or end\$4 or empt\$5 or full\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:22
S7	23	(compar\$ near4 branch\$3) same (array near4 (boundar\$3 or end\$4 or empt\$5 or full\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:29
S8	1	("6332215").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:29
S9	4	(compar\$ with branch\$3) with (array with (boundar\$3 or end\$4 or empt\$5 or full\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:35
S10	139	(exception\$1) with (array with (boundar\$3 or end\$4 or empt\$5 or full\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:35
S11	3	(exception\$1) with (array with (boundar\$3 or end\$4 or empt\$5 or full\$4)) with branch\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:39

EAST Search History

S12	23	(exception\$1) near4 (array near4 (boundar\$3 or end\$4 or empt\$5 or full\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:36
S13	11	(compar\$ near4 branch\$3) with exception\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:34
S14	2	(compar\$ near4 (branch\$3 or jump\$3)) same ((exception\$1 or interrupt\$1) near4 array\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:35
S15	36	(exception\$1 or interrupt\$1) near4 (array near4 (boundar\$3 or end\$4 or empt\$5 or full\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:36
S16	291	(exception\$1 or interrupt\$1) near4 (branch\$3 or jump\$3) near4 (compare or conditional)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:54
S17	0	(exception\$1 or interrupt\$1) near4 (branch\$3 or jump\$3) near4 (compare or conditional) near4 (pre?determin\$3 or pre?program\$4 or know\$3) near4 (target near4 address\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:55
S18	0	(exception\$1 or interrupt\$1) near4 (branch\$3 or jump\$3) near4 (compare or conditional) near4(target near4 address\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:55
S19	9	(branch\$3 or jump\$3) near4 (compare or conditional) near4 (exception\$1 or interrupt\$1) near4 (handler\$3 or routine\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:56
S20	376	(712/208).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/09/18 12:55
S21	146	(712/211).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/09/18 12:55
S22	331	(712/233).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/09/18 12:55

EAST Search History

S23	406	(712/234).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/09/18 12:55
S24	548	(712/244).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/09/18 12:55
S25	41	((("3889243") or ("4236204") or ("4587632") or ("4969091") or ("4922414") or ("5136696") or ("5455775") or ("5619665") or ("5638525") or ("5659703") or ("5740461") or ("5742802") or ("5752035") or ("5784584") or ("5809336") or ("5838648") or ("5875336") or ("5892966") or ("5925123") or ("5926832") or ("5937193") or ("5953741") or ("6003126") or ("6009499") or ("6009509") or ("6014723") or ("6021469") or ("6026485") or ("6031992") or ("6038643") or ("6070173") or ("6088786") or ("6122638") or ("6125439") or ("6148391") or ("6298434") or ("6317872") or ("6338134") or ("6349377") or ("6374286") or ("6606743"))).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/09/21 15:48

[Sign in](#)
[Web](#)
[Images](#)
[Video](#)
[New!](#)
[News](#)
[Maps](#)
[more »](#)

compare + implementation


[Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about 53,000,000 for **compare + implementation**. (0.23 seconds)Digital Mars - digitalmars.D.bugs - incorrect **compare** ...digitalmars.D.bugs - incorrect **compare implementation** in ti_Aulong and ti_Along ...assert(ti.**compare**(a,b)>0); return 0; ...

www.digitalmars.com/d/archives/digitalmars/D/bugs/5081.html - 8k -

[Cached](#) - [Similar pages](#)incorrect **compare implementation** in ti_Aulong and ti_Along ...incorrect **compare implementation** in ti_Aulong and ti_Along, Digital Mars.Thomas_Kühne (), 2005/09/28 04:14 ... assert(ti.**compare**(a,b)>0); return 0; ...

www.digitalmars.com/pnews/read.php?server=news.

digitalmars.com&group=digitalmars.D.bugs&artnum=5081 - 7k -

[Cached](#) - [Similar pages](#)Post-Implementation ReviewA Post-Implementation Review (PIR) is an assessment and review of the completed working ... How does that **compare** to the original project definition? ...www.epmbook.com/pir.htm - 11k - [Cached](#) - [Similar pages](#)[PDF] Citizen Review of Police : Approaches and **Implementation** ((Issues ...

File Format: PDF/Adobe Acrobat

and **Implementation** is designed to help jurisdictions that ... difficult to **compare** the effectiveness of different citizen review models because they have ...www.ncjrs.gov/pdffiles1/nij/184430.pdf - [Similar pages](#)A Standards-based XML Schema **Implementation Comparison Framework**A Standards-based XML Schema **Implementation Comparison Framework**. Henry S. Thompson [HCRC Language Technology Group; World Wide Web Consortium] ...

www.idealliance.org/papers/extreme/

Proceedings/html/2001/Thompson01/EML2001Thompson01.html - 23k -

[Cached](#) - [Similar pages](#)ICANN | ICANN Accra Meeting Topic: **Implementation** of Independent ...ICANN Accra Meeting Topic: **Implementation** of Independent Review Policy ... the scope of independent review under the current policy is "to **compare** contested ...www.icann.org/accra/indrev-topic.htm - 16k - [Cached](#) - [Similar pages](#)[doc] Format for a Report on **Implementation** of the Programme of Work for ...File Format: Microsoft Word - [View as HTML](#)The information provided by Contracting Parties will not be used to rank performance or to otherwise **compare implementation** between individual Contracting ...

www.biodiv.org/programmes/cross-cutting/taxonomy/gti/gti-review-en.doc -

[Similar pages](#)[PDF] Format for a Report on **Implementation** of Programme of Work for the ...File Format: PDF/Adobe Acrobat - [View as HTML](#)rank performance or to otherwise **compare implementation** between individual.

[Sign in](#)[Web](#) [Images](#) [Video](#) ^{New!} [News](#) [Maps](#) [more »](#)

cmp + jmp

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**

Results 1 - 10 of about 461,000 for cmp + jmp. (0.47 seconds)

devik - Re: Porting gcc for F-CPU without direct **JMP**

Like: a: add ... **cmp** ... **jmp** a will be replaced a: add .. **cmp** .. mov a,r1 **jmp** [r1] and
 later optimized: loadaddr r1 ; get current PC a: add .. **cmp** .. **jmp** ...
gcc.gnu.org/ml/gcc/2002-12/msg00581.html - 6k - [Cached](#) - [Similar pages](#)

Please Help - Critical Security.NET

There's also some hints about reading up on some Assembly functions (MOV, PUSH, POP, **CMP**, **JMP**), which are worth hitting Google to find some info on, ...
www.criticalsecurity.net/index.php?showtopic=12379&view=getlastpost - 48k -
[Cached](#) - [Similar pages](#)

;sines.asm ; ;douglas irving repetto april.97 ;glmrboy@shoko ...

cmp a,b jeq D_ONE move #\$40,b1 ;ascii '@' - this is for a mac keyboard! ... ;ascii 'm'
cmp a,b jeq MODE_MIX move #\$4D,b1 ;ascii 'M' **cmp** a,b jeq MODE_MOD **jmp** ...
www.musicdsp.org/files/sines.asm - 9k - [Cached](#) - [Similar pages](#)

BF interpreter for Menuet by VT ; ; Compile with FASM 1.60 or ...

... inc r13 **cmp** r13 , 10000 jb noeventcheck mov r13 , 0 mov rax , 11 int 0x60 **cmp** rax
 , 0 je noevents test rax , 4 jz nobutton mov rax , 0x11 int 0x60 **jmp** ...
www.menuetos.net/bf.asm - 13k - [Cached](#) - [Similar pages](#)

info: Chronos, Bryant Brownell, Oregon State University ; General ...

(**jmp** not actually needed) bump: **cmp** r5, 80 //allow a certain number of bumps, then
 stop trying to repair/clone jg continueBump //this is to speed up the ...
www.symantec.com/specprog/university/bryant_brownell.asm - 10k -
[Cached](#) - [Similar pages](#)

;Prototype driver for IDE/ATA interface board ;65C02 assembly ...

... like CD) or nothing **cmp** secnr bne signok lda #\$0 **cmp** cyllow bne signok **cmp** ...
 lda secbuf+\$1FE **cmp** #\$55 beq j55ok **jmp** jsignok j55ok lda secbuf+\$1FF **cmp** ...
s.guillard.free.fr/Apple2IDE/lwlv-src.txt - 11k - [Cached](#) - [Similar pages](#)

.JP^0Dw0Dy5{!P/5e PZX5'(n!`This is the source code, not the ...

JNZ O6 MOV AH,02h MOV DL,[M+BX] INT 21h **JMP** DO ;IF O\$ = "," THEN M(P) =
 ASC(INPUT\$(1)) O6: **CMP** AL,";" ; JNZ O7 MOV AH,08h INT 21h MOV [M+BX],AL
JMP DO ;IF ...
esoteric.sange.fi/brainfuck/impl/interp/BFI.ASM - 6k - [Cached](#) - [Similar pages](#)

MACHFELD|visp

CMP #\$00 BEQ LOD1 JSR CLONE LOD1 JSR \$A316 **JMP** \$A416 BLOD JSR
 TESTON LDA FLAG1 ... DEST16 **CMP** #78 BNE DEST17 **JMP** \$C600 DEST17 **CMP**
 #79 BNE DEST18 JSR READ ...
www.machfeld.net/visp/source.html - 12k - [Cached](#) - [Similar pages](#)

shadow.asm By Michael Kohn ; October 5,1995 .model tiny .code ...